

# WELDMATIC, INC. PARTS PRICE LIST - End User

(All prices U.S. Dollars)

Phone: 402-564-1808 Description		weldmaticinc@gmail.com VISIT WWW.WELDMATIC.COM FOR CONDUIT TESTING DATA!!!	Fax: 402-564-1825	List Price
<b>Premium Conduit</b>				
PC7-50	Weldmatic is the home of the original "Blue" Premium Plastic Conduit (PC7)			\$ 150.00
PC7-100	Lowest coefficient of friction and superior wear characteristics available			\$ 300.00
PC7-200	Standard Roll of PC7 - 200 foot long			\$600.00
PC7	Premium Plastic Conduit .472" (12 mm) OD x .312" (7.9 mm) ID sold per ft - 799 feet or less			\$ 3.00
	1,500 feet - 2,499 PC7 use 1/16" (1.59 mm) or smaller diameter wire			\$ 2.75
	2,500 feet - 4,999			\$ 2.55
	5,000 feet or more (Call for pricing)			
PC7 - WHEN HIGH QUALITY IS NEEDED				
<b>High Performance Conduit</b>				
Low coefficient of friction and great wear characteristics (upgrade from competitors polymer)				
PC4-HP	High Performance Plastic Conduit .472" (12 mm) OD x .312" (7.9 mm) ID sold per ft - 599 feet or less			\$ 2.35
	1,000 feet - 1,999 Maximum continuous length 200 feet (61 m)			\$ 2.20
	2,000 feet - 3,999 PC4-HP use 1/16" (1.59 mm) or smaller diameter wire			\$ 2.15
	4,000 or more (Call for pricing) HP conduit is for typical to somewhat demanding operations			
PC6-HP	High Performance Plastic Conduit .600" (15.2 mm) OD x .400" (10.2 mm) ID sold per ft - 599 feet or less			\$ 2.55
	1,000 feet - 1,999 Maximum continuous length 200 feet (61 m)			\$ 2.45
	2,000 feet - 3,999 PC6-HP use 1/16" (1.59 mm) up to 1/8" (3.2 mm) diameter wire			\$ 2.35
HDPE Conduit - Comparable to competitors conduit / Polymer 500 feet (152 m) max				
PC4	HDPE Conduit (High Density Polyethylene) .472" (12 mm) OD x .312" (7.9 mm) ID Sold per ft			\$ 1.90
PC6	HDPE Conduit (High Density Polyethylene) .600" (15.2 mm) OD x .400" (10.2 mm) ID Sold per ft			\$ 2.20
PC8	HDPE Conduit (High Density Polyethylene) .750" (19 mm) OD x .550" (14 mm) ID Sold per ft			\$ 3.00
*** All plastic conduits can be ordered cut to length by the foot at NO EXTRA CHARGE ***				
Conduit can be ordered with quick coupler nipples preassembled on both ends				
Example of how to order 10 feet of PC7 with a quick coupler nipple preassembled to both ends (Add \$1.00 to parts total per conduit)				
	PC7-10-N (Conduit type - Length in feet - N for two quick coupler nipples)			\$ 39.75
PCC09	Plastic Conduit Cutter Cuts up to 1-5/8" (41 mm) diameter			\$ 26.75
<b>Plastic Conduit Fittings &amp; Accessories</b>				
4B43	Bushing Adapter Kit for connecting 3/8" (9.5 mm) OD mounting stem to various sizes of wire feed inlets			\$ 20.00
7-4	Plastic Conduit Coupling used to join two lengths of PC7, PC4-HP or PC4 Conduit			\$ 6.95
7-5	Plastic Conduit End Connector - 3/8" (9.5 mm) OD x 1.5" (38.1 mm) stem-Self threads to PC7, PC4-HP or PC4			\$ 9.95
LQC7	Quick Coupler 1/2" Male NPT - 1/4" Female NPT self threads to PC7, PC4-HP or PC4 Conduit			\$ 17.85
LQC10	Quick Coupler Female Half LQC7 - 1/2" male NPT - accepts QCN, QCN6 or QCN8 nipple			\$ 13.45
N12	Wire Guide Nut (Case Hardened) Hardware for BC21,BC24, CA20, CA23, WD12 and WD13			\$ 11.50
QC7	Quick Coupler - 3/8" (9.5 mm) OD x 2.66" (67.56 mm) stem 1/4" FNPT self threads to PC7, PC4-HP or PC4			\$ 19.35
QC8	Quick Coupler Female Half QC7 -3/8" (9.5 mm) OD x 2.66" (67.56 mm) stem (accepts QCN,QCN6, QCN8)			\$ 15.40
QC8-MP	Quick Coupler Inlet MILLER PRO FEEDER Female Half -3/8" (9.5 mm) OD stem (accepts QCN,QCN6, QCN8)			\$ 21.25
QC9	Quick Coupler Half 4.50 Stem - 3/8" (9.5 mm) OD x 4.5" (114.3 mm) stem (accepts QCN,QCN6, QCN8)			\$ 21.25
QC12	Quick Coupler-PC7/PC4 1/4" Male NPT use with PC7, PC4-HP or PC4 (BC21, BC24, CA20, CA23 Hardware)			\$ 11.65
QC13	Quick Coupler-PC6 1/4" Male NPT - 3/8" Female NPT self threads to PC6-HP or PC6 Conduit (part for WD13)			\$ 12.50
QC14	Quick Coupler-PC8 1/4" Male NPT - 1/2" Female NPT self threads to PC8 HDPE Conduit			\$ 13.95
QC250F	Quick Coupler-1/4" Female NPT - Nipple not included			\$ 7.20
QC250M	Quick Coupler-1/4" Male NPT - Nipple not included			\$ 7.20
QCN	Quick Coupler Nipple (male end of QC7, LQC7, & QC12) - 1/4" FNPT self threads to PC7, PC4-HP or PC4			\$ 3.95
QCNSR-08	QCN W/ Strain Relief @ 8"			\$ 22.85
QCN-M	Quick Coupler Nipple - Male - 1/4" FNPT Boss			\$ 3.95
QCN6	Quick Coupler Nipple-PC6 (male end of QC13) - 3/8" Female NPT self threads to PC6-HP or PC6 Conduit			\$ 6.90
QCN8	Quick Coupler Nipple-PC8 (male end of QC14) - 1/2" Female NPT self threads to PC8 HDPE Conduit			\$ 10.00
QC-BH	BULK HEAD ASSEMBLY (Bracket with two - QC250M Quick Couplers)			\$ 50.00
<b>Universal Accessories</b>				
CWD-7	Change Wire Direction Kit (Complete assembly of parts 6-1R, 6-1S and PP9)			\$ 68.50
6-1R	Rotating Pulley Bracket used with PP9 Plastic Pulley (part for CWD-7 Change Wire Direction Kit)			\$ 27.15
6-1S	Pulley Bracket with Shaft used with PP9 Plastic Pulley (part for CWD-7 Change Wire Direction Kit)			\$ 32.85
PP9	Plastic Pulley 8-1/2" (216 mm) OD x 3/8" (9.5 mm) ID - used to change direction of wire			\$ 12.35
DB02	Drum/Box Cover Pulley Bracket used to mount PP9 Plastic Pulley to Drum and Box Covers			\$ 11.25
DCP12	Double Conduit Pulley Bracket used with PP9 Plastic Pulley and 6-1B Conduit Adapter			\$ 26.70
6-1B	Conduit Adapter (mounts on to DCP12) provides 3/8" (9.5 mm) ID mounting hole			\$ 9.35
PB12-A	Pulley Conduit Bracket used with PP9 Plastic Pulley and 6-1B on WD12			\$ 14.35

Minimum Order \$30.00 U.S. Dollars  
F.O.B. Columbus, Nebraska USA

Price Subject to Change Without Notice  
UPS Shippable

Price List Effective January 1, 2025  
Drop Ship Service

Visit [www.weldmatic.com](http://www.weldmatic.com) for product information. See "Documents" for replacement parts, diagrams, etc.

PAGE 1 of 4

# WELDMATIC, INC. PARTS PRICE LIST - End User

(All prices U.S. Dollars)

	Phone: 402-564-1808 Description	weldmaticinc@gmail.com VISIT WWW.WELDMATIC.COM FOR CONDUIT TESTING DATA!!!	Fax: 402-564-1825	List Price
	WD10 Wooden Reel Wire Dispenser "No Wire Flip"			
WD10	Wooden Reel Wire Dispenser for 1,000 lb (454 kg) reel of wire (specify wire diameter )			\$ 1,406.25
AW16	Accumulator Wheel (part for WD10)			\$ 148.60
3-100	Base (part for WD10) Complete assembly of parts 3-1 thru 3-23			\$ 1,062.50
3-1	Base Casting (part for WD10)			\$ 186.00
3-3	Ball Screw & Nut (part for WD10)			\$ 307.00
3-5	1/2"-13 Left Hand Hex Nut (part for WD10)			\$ 1.40
3-6	Brake Lining (part for WD10)			\$ 43.00
3-7	Bearing Cup LM11910 SKF (part for WD10)			\$ 19.00
3-8	Bearing Cone LM11949 SKF (part for WD10)			\$ 32.00
3-9	Ball Bearing 97R12 ND (part for WD10)			\$ 42.00
3-11	3/4" Left Hand Engagement Nut (part for WD10)			\$ 20.00
3-14	Top Casting (part for WD10)			\$ 336.00
3-15	Spring Cup (part for WD10)			\$ 61.50
3-16	Inertia Brake Arm (part for WD10)			\$ 100.00
3-17	3/4" Stainless Steel Ball (part for WD10)			\$ 6.25
3-18	Spring (part for WD10)			\$ 31.50
3-19	Spring Washer (part for WD10)			\$ 2.75
3-23	Anti Skid Insulating Ring (part for WD10)			\$ 43.00
BR6	Brake Release Arm (part for WD10) (Complete assembly of parts 6-15 thru 6-18)			\$ 247.25
6-15	Brake Release Arm (part for WD10)			\$ 78.75
6-16	Half Pulley and Bolts (part for WD10)			\$ 93.00
6-17	Brake Release Arm Extension Shaft (part for WD10)			\$ 65.00
6-18	Hex Wrench (part for WD10)			\$ 11.50
	WD10 Optional Accessories			
AH6	Accessory Holder (attaches to WD10 to hold optional accessories 6-1 thru 6-5)			\$ 43.00
6-1	Pulley Conduit Adapter (mounts into AH6) holds PP9 Plastic Pulley & 6-1A or 6-1B			\$ 10.70
6-1A	Conduit Connector Adapter (mounts on to 6-1 to hold PP9) provides 13/16" (20.6 mm) ID mounting hole			\$ 11.10
6-1B	Conduit Adapter (mounts on to 6-1 to hold PP9) provides 3/8" (9.5 mm) ID mounting hole			\$ 12.30
6-2	Conduit Adapter (mounts into AH6) provides 13/16" (20.6 mm) ID mounting hole			\$ 10.70
6-3	Conduit Mounting Bracket (mounts into AH6) provides 3/8" (9.5 mm) ID mounting hole			\$ 11.35
6-4	Pulley Adapter (mounts into AH6 to hold PP9 Plastic Pulley)			\$ 11.00
6-5	Assist Feed Motor Adapter (mounts into AH6 to hold Assist Feed Motor)			\$ 23.35
6-14	Extension Shaft used on WD10 when dispensing 1/8" (3.175 mm) diameter wire			\$ 31.35
CD8	Centering Device (used to position large reel of wire on WD10 base)			\$ 25.35
DC6	Dust Cover - 30" (762 mm) diameter reel (Accessory for WD10 Wooden Reel Dispenser)			\$ 146.70
6-12	Support Bracket (part for DC6 Dust Cover)			\$ 24.00
6-13	U-Clamp Assembly (part for DC6 Dust Cover)			\$ 1.40
MC03	Metal Cover (part for DC6 Dust Cover)			\$ 89.30
TS04	Transparent Skirt-DC6 - fire resistant (part for DC6 Dust Cover)			\$ 54.35
TTS-10	TRU TRAC SLEEVE (used to center TRU TRAC spool of wire on WD10 base)			\$ 138.50
CD05-NS	3-100 Base adapter for 5" arbor (used to center TRU TRAC spool of wire on WD10 base)			\$ 108.50
	WD12 Wooden Reel Wire Dispenser (w/NS Spool Centering bolts)			
WD12	Wooden Reel Wire Dispenser up to .052" (1.321 mm) diameter wire ***ADD QC8 FOR QUICK COUPLER***			\$ 206.25
QC8	Quick Coupler Female Half QC7 -3/8" (9.5 mm) OD x 2.66" (67.56 mm) stem (accepts QCN,QCN6, QCN8)			\$ 15.40
WD12EXT	Extended WD12 Dispenser eases pull of 1/16" (1.59 mm) diameter wire through conduit			\$ 266.00
7-6	Spindle (part for WD12)			\$ 72.00
7-6EXT	Spindle - Extra Long (part for WD12EXT)			\$ 86.70
7-7	Spring (part for WD12)			\$ 14.00
7-8	Brake Arm (part for WD12)			\$ 24.00
7-9	Finger Nut (part for WD12)			\$ 1.90
7-10	J-Bolt Assembly 2 required (part for WD12)			\$ 11.90
7-11	Self Locking Ring (part for WD12)			\$ 0.60
7-12	Hub (part for WD12)			\$ 72.35
7-13	Brake Band (part for WD12)			\$ 9.30

Minimum Order \$30.00 U.S. Dollars

Price Subject to Change Without Notice

Price List Effective January 1, 2025

F.O.B. Columbus, Nebraska USA

UPS Shippable

Drop Ship Service

PAGE 2 of 4

Visit [www.weldmatic.com](http://www.weldmatic.com) for product information. See "Documents" for replacement parts, diagrams, etc.

# WELDMATIC, INC. PARTS PRICE LIST - End User

(All prices U.S. Dollars)

Product #	Phone: 402-564-1808 Description	weldmaticinc@gmail.com VISIT WWW.WELDMATIC.COM FOR CONDUIT TESTING DATA!!!	Fax: 402-564-1825 List Price
<b>WD12 Wooden Reel Wire Dispenser (continued)</b>			
7-14	Nylon Thrust Washer (part for WD12)		\$ 1.80
7-15	Plastic Conduit Wire Guide - 32" (813 mm) long (part for WD12)		\$ 10.00
7-15EXT	Plastic Conduit Wire Guide - 48" (1219 mm) long (part for WD12EXT)		\$ 15.00
7-16	Conduit Arm (part for WD12)		\$ 20.35
N12	Wire Guide Nut (Case Hardened) Hardware for BC21,BC24, CA20, CA23, WD12 and WD13		\$ 11.50
<b>WD12 Optional Accessories</b>			
7-17	1/2" Female NPT Adapter (Accessory for WD12)		\$ 20.00
DC7	Dust Cover - 21" (533.4 mm) diameter reel (Accessory for WD12)		\$ 117.35
DC8	Dust Cover - 30" (762 mm) diameter reel (Accessory for WD12) ***NEW ACCESS WINDOW!!!!		\$ 140.00
SK9	Transparent Skirt-DC8 - fire resistant (part for DC8 Dust Cover)		\$ 60.00
<b>Box/Drum Wire Dispensing (Add -C for Ceramic Inlet Guide)</b>			
BC21	Square Box Cover - 21" (533.4 mm) for 500 lb (227 kg) box of wire ***Includes N12,FW20 & QC12***		\$ 103.75
BC24	Square Box Cover - 24" (609.6 mm) for 1000 lb (454 kg) box of wire ***Includes N12,FW20 & QC12***		\$ 107.50
CA20	Drum Cover for 20.4" (518 mm) diameter drum of wire ***Includes N12,FW20 & QC12***		\$ 92.50
CA23	Drum Cover for 23.4" (594 mm) diameter drum of wire ***Includes N12,FW20 & QC12***		\$ 96.25
OWP24	Octagon Drum Cover for 24" (610 mm) diameter drum of wire ***Includes N12,FW20 & QC12***		\$ 141.25
N12	Wire Guide Nut (Case Hardened) Hardware for BC21,BC24, CA20, CA23, WD12 and WD13		\$ 11.50
FW20	Fender Washer-Box/Drum Covers - 2.5" O.D. x 9/16" I.D. (BC21, BC24, CA20, CA23 Hardware)		\$ 1.00
QC12	Quick Coupler-PC7/PC4 1/4" Male NPT use with PC7, PC4-HP or PC4 (BC21, BC24, CA20, CA23 Hrdw)		\$ 11.65
DPK	Direct Pull Kit (Includes N12, FW20 and QC250M)		\$ 24.10
BC21-C	Square Box Cover - 21" (533.4 mm) for 500 lb (227 kg) box of wire ***Includes N12-C,FW20 & QC12***		\$ 108.75
BC24-C	Square Box Cover - 24" (609.6 mm) for 1000 lb (454 kg) box of wire ***Includes N12-C,FW20 & QC12***		\$ 112.50
CA20-C	Drum Cover for 20.4" (518 mm) diameter drum of wire ***Includes N12-C,FW20 & QC12***		\$ 97.50
CA23-C	Drum Cover for 23.4" (594 mm) diameter drum of wire ***Includes N12-C,FW20 & QC12***		\$ 101.25
OWP24-C	Octagon Drum Cover for 24" (610 mm) diameter drum of wire ***Includes N12-C,FW20 & QC12***		\$ 146.25
N12-C	Ceramic Inlet Guide Hardware for BC21-C,BC24-C, CA20-C and CA23-C		\$ 16.50
DPK-C	Direct Pull Kit w/Ceramic Inlet Guide (Includes N12-C, FW20 and QC250M)		\$ 29.06
WD13	Drum Turntable Includes QC13 & N12 (optional BB13 Brake Band available)		\$ 520.00
BB13	Brake Band (Optional brake for WD13 Drum Turntable)		\$ 24.00
N12	Wire Guide Nut (Case Hardened) BC21,BC24, CA20, CA23, WD12 and WD13 Hardware		\$ 11.50
QC13	Quick Coupler-PC6 1/4" Male NPT - 3/8" Female NPT self threads to PC6-HP or PC6 Conduit (for WD13)		\$ 12.50
FAKWD13	Feed Assist Kit for WD13 mounts 4AFM on WD13 (includes FAKWD13-10 & FAKWD13-20)		\$ 66.70
FAKWD13-10	FAK Plate & Tube part for mounting Assist Feed Motor to WD13		\$ 34.75
FAKWD13-20	FAK Spacer Plate moves T12 Vertical Base Arm outward when mounting 4AFM to WD13		\$ 42.75
DC13	Dust Cover for WD13		\$ 110.65
T20	Tube Assembly (part for DC13 Dust Cover)		\$ 32.00
PLC13	Plastic Cover (part for DC13 Dust Cover)		\$ 101.35
<b>Specialty Products</b>			
7-1	Wire Clutch Mounting Adapter used to mount WC7 One-Way Wire Clutch		\$ 64.30
DPG09	Digital Pull Gauge - Hand-held, maximum pull 12 lbs (5.4 kg)		\$ 120.00
DSI09	Digital Speed Indicator - Hand-held, measures wire IPM		\$ 867.00
DSIB-WEA09	Digital Speed Indicator Bracket holds DSI09 (sold separately) - comes with WEA09 attached		\$ 200.00
WC7	One-Way Wire Clutch prevents wire from retracting - maximum wire diameter 3/32" (2.381 mm)		\$ 100.00
WEK09	Wire Exposure Kit - includes WEA09 & WEC09		\$ 120.00
WEA09	Wire Exposure Assembly exposes wire to allow for testing feed rate		\$ 92.85
WEC09	Wire Exposure Cover protects wire from contaminates when not testing feed rate		\$ 28.60

## WELDMATIC, INC. CUSTOM FAB

NEED A SPECIAL PART?  
NEED OUR PART MODIFIED?  
SEND US A SKETCH AND WE WILL QUOTE MAKING YOU WHAT YOU NEED!!!

Minimum Order \$30.00 U.S. Dollars  
F.O.B. Columbus, Nebraska USA

Price Subject to Change Without Notice  
UPS Shippable

Price List Effective January 1, 2025  
Drop Ship Service

Visit [www.weldmatic.com](http://www.weldmatic.com) for product information. See "Documents" for replacement parts, diagrams, etc.

PAGE 3 of 4

# WELDMATIC, INC. PARTS PRICE LIST - End User

(All prices U.S. Dollars)

Product #	Phone: 402-564-1808 Description	weldmaticinc@gmail.com VISIT WWW.WELDMATIC.COM FOR CONDUIT TESTING DATA!!!	Fax: 402-564-1825 List Price
<b>Assist Feed Motor (optional accessory for WD10 and WD13)</b>			
<b>4AFM</b>	<b>Assist Feed Motor (specify wire diameter )</b>		<b>\$ 967.00</b>
4-1	<u>Motor</u> (part for 4AFM Assist Feed Motor)		\$ 533.35
4-6	<u>Inlet Guide</u> for .035" (.9 mm) thru 5/64" (2 mm) wire (part for 4AFM Assist Feed Motor)		\$ 13.35
4-7	<u>Socket Head Cap Screw</u> 10-32 x 1" - 2 required (part for 4AFM Assist Feed Motor)		\$ 0.30
4-8	<u>Socket Head Cap Screw</u> 10-32 x 1-1/2" - 2 required (part for 4AFM Assist Feed Motor)		\$ 0.36
4-9	<u>Hinge Pin</u> (part for 4AFM Assist Feed Motor)		\$ 0.57
4-10	<u>Socket Head Cap Screw</u> 10-32 x 3/8" (part for 4AFM Assist Feed Motor)		\$ 0.30
4-11	<u>Set Screw</u> 1/4"-20 x 3/8" flat point - 2 required (part for 4AFM Assist Feed Motor)		\$ 0.30
4-12	<u>Feed Roll Shaft</u> (part for 4AFM Assist Feed Motor)		\$ 33.35
4-13	<u>Pressure Roll</u> (part for 4AFM Assist Feed Motor)		\$ 73.35
4-15	<u>Spring Cup</u> - 2 required (part for 4AFM Assist Feed Motor)		\$ 1.40
4-16	<u>Spring</u> (part for 4AFM Assist Feed Motor)		\$ 8.00
4-17	<u>Tension Knob</u> (part for 4AFM Assist Feed Motor)		\$ 8.00
4-18	<u>Expansion Pin</u> 3/16" x 1" (part for 4AFM Assist Feed Motor)		\$ 0.70
4-20	<u>Torque Limiter Control</u> includes Part 4-28 (part for 4AFM Assist Feed Motor)		\$ 29.35
4-21	<u>Capacitor</u> (part for 4AFM Assist Feed Motor)		\$ 33.35
4-22	<u>Control Box</u> (part for 4AFM Assist Feed Motor)		\$ 50.70
4-28	<u>Replacement Plastic Knob</u> (part for 4AFM Assist Feed Motor)		\$ 3.35
4-29	<u>Insulating Strips</u> - 2 required (part for 4AFM Assist Feed Motor)		\$ 0.55
4-30	<u>Circuit Breaker</u> (part for 4AFM Assist Feed Motor)		\$ 34.70
4-31	<u>Motor Mount Insulation</u> (part for 4AFM Assist Feed Motor)		\$ 6.70
4-37	<u>Feed Roll</u> for 3/32" (2.4 mm) & 1/8" (3.2 mm) wire (part for 4AFM Assist Feed Motor)		\$ 46.70
4-38	<u>Insulated Set Screw</u> (part for 4AFM Assist Feed Motor)		\$ 3.00
4-39	<u>Motor Mount Casting</u> (part for 4AFM Assist Feed Motor)		\$ 106.70
4-40	<u>Inlet Guide</u> for 3/32" (2.4 mm) & 1/8" (3.2 mm) wire (part for 4AFM Assist Feed Motor)		\$ 14.70
4-41	<u>U-Channel Casting</u> (part for 4AFM Assist Feed Motor)		\$ 41.35
4-42	<u>Eye Bolt</u> (part for 4AFM Assist Feed Motor)		\$ 9.75
4-44	<u>Feed Roll</u> for .035" (.9 mm) thru .052" (1.3 mm) wire (part for 4AFM Assist Feed Motor)		\$ 46.70
4-45	<u>Feed Roll</u> for 1/16" (1.6 mm) & 5/64" (2 mm) wire (part for 4AFM Assist Feed Motor)		\$ 46.70
<b>Transporting / Lifting Equipment</b>			
<b>4WC2</b>	<b>Four Wheel Cart</b> 4 swivel casters (Optional caster with brake <b>4WC2-BR</b> available) - <b>1,200 Lbs CAPACITY</b>		<b>\$ 200.00</b>
<b>Quantity Discounts for orders 25 or more!!!</b>			
<b>4WC2-BR</b>	<b>Four Wheel Cart With Brake</b> -add caster with brake qty 1-4 after the BR (added cost per wheel) <b>4WC2-BR1 \$208.00 -BR2 \$216.00 -BR3 \$224.00 -BR4 \$232.00</b>		<b>\$ 8.00</b>
4WC2-BR-RW	<u>Swivel Caster Wheel with Brake</u> - 3" (76.2 mm) replacement part for 4WC2 & *PD09 (priced per wheel)		\$ 22.70
4WC2-WHEEL	<u>Swivel Caster Wheel</u> - 3" (76.2 mm) replacement part for 4WC2 & *PD09 (priced per wheel)		\$ 14.70
<b>DBD25</b>	<b>Duel Box Dolly - 25" or smaller wire packaging cart (2 configurations 21" and below or 21" - 25")</b> <b>1,200 Lbs. CAPACITY Quantity Discounts for orders 25 or more!!!</b>		<b>\$ 140.00</b>
<b>DBD25-BR</b>	<b>Duel Box Dolly With Brake</b> add caster w/brake qty 1-4 after the BR (added cost per wheel) <b>DBD25-BR1 \$148.00 -BR2 \$156.00 -BR3 \$164.00 -BR4 \$172.00</b>		<b>\$ 8.00</b>
<b>PD09</b>	<b>Pallet Dolly (4 swivel casters) 27.5" (698.5 mm) x 27.5" (698.5 mm) - 1,200 Lbs CAPACITY</b> <b>Quantity Discounts for orders 25 or more!!!</b>		<b>\$ 145.00</b>
<b>PD09-BR</b>	<b>Pallet Dolly with Brake</b> -add caster w/brake qty 1-4 after the BR (added cost per wheel) <b>PD09-BR1 \$153.00 -BR2 \$161.00 -BR3 \$169.00 -BR4 \$177.00</b>		<b>\$ 8.00</b>
PD09-BP	<u>Bent Plate</u> for Pallet Dolly 27.5" (698.5 mm) x 27.5" (698.5 mm)		\$ 120.00
<b>OBC24</b>	<b>Octagon Pallet Dolly (4 swivel casters) 27.5" (698.5 mm) x 27.5" (698.5 mm) - 1,200 Lbs CAPACITY</b> <b>Quantity Discounts for orders 25 or more!!!</b>		<b>\$ 175.00</b>
<b>OBC24-BR</b>	<b>Octagon Pallet Dolly with Brake</b> -add caster w/brake qty 1-4 after the BR (added cost per wheel) <b>PD09-BR1 \$183.00 -BR2 \$191.00 -BR3 \$199.00 -BR4 \$207.00)</b>		<b>\$ 8.00</b>
<b>ABL09</b>	<b>Adjustable Box Lifter 20" (508 mm) to 26" (660.4 mm) for drums w/straps - 1,200 Lbs. CAPACITY</b>		<b>\$ 156.25</b>
ABL09-AP	<u>Adjustment Plate with bolts</u> - 2 required (part for Box Lifter)		\$ 14.35
ABL09-BP	<u>Bent Plate</u> (part for Box Lifter)		\$ 64.00
ABL09-H	<u>Hook for Box Lifter</u> - 2 required (part for Box Lifter)		\$ 26.00
DL09	<u>Drum Lifter</u> - adapts to 18.5" (470 mm) to 26" (660.4 mm) diameter drums - 1,200Lbs CAPACITY		\$ 260.00
OL24	<u>Octagon Drum Lifter</u> - adapts to 18.5" (470 mm) to 26" (660.4 mm) diameter drums - 1,200Lbs CAPACITY		\$ 126.75
TTL-30	<u>Spool Lifter</u> - lifts NS Tru Trac spool - 1,200Lbs CAPACITY		\$ 293.35
UFA09	<u>U-Shaped Fork Lift Adaptor</u> use with drum & box lifter		\$ 126.70

Minimum Order \$30.00 U.S. Dollars

F.O.B. Columbus, Nebraska USA

Price Subject to Change Without Notice

UPS Shippable

Price List Effective January 1, 2025

Drop Ship Service

PAGE 4 of 4

Visit [www.weldmatic.com](http://www.weldmatic.com) for product information. See "Documents" for replacement parts, diagrams, etc.